

APPENDIX

```

<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
                        value CDATA #REQUIRED>
  <!ELEMENT Options    (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
                        value CDATA #REQUIRED
                        text CDATA #IMPLIED>
]>
<DOCUMENT>
  <MenuVariables name="1"          value="26"/>
  <MenuVariables name="2"          value="0"/>
  <MenuVariables name="3"          value="26"/>
  <MenuVariables name="4"          value="0"/>
  <MenuVariables name="5"          value="60"/>
  <MenuVariables name="6"          value="26"/>
  <MenuVariables name="7"          value="0"/>
  <Options name="1_0"              value="USENG_AMPMTIME_AT.wav"  text="at"/>
  <Options name="1_1"              value="USENG_AMPMTIME_AT.wav"  text="at"/>
  <Options name="1_2"              value="USENG_AMPMTIME_AT.wav"  text="at"/>
  ...
  <Options name="1_25"             value="USENG_AMPMTIME_AT.wav"  text="at"/>
  <Options name="3_0"              value="USENG_NUMBER_12.wav"  text="12"/>
  <Options name="3_1"              value="USENG_NUMBER_1.wav"   text="1"/>
  <Options name="3_2"              value="USENG_NUMBER_2.wav"   text="2"/>
  <Options name="3_3"              value="USENG_NUMBER_3.wav"   text="3"/>
  <Options name="3_4"              value="USENG_NUMBER_4.wav"   text="4"/>
  <Options name="3_5"              value="USENG_NUMBER_5.wav"   text="5"/>
  <Options name="3_6"              value="USENG_NUMBER_6.wav"   text="6"/>
  <Options name="3_7"              value="USENG_NUMBER_7.wav"   text="7"/>
  <Options name="3_8"              value="USENG_NUMBER_8.wav"   text="8"/>
  <Options name="3_9"              value="USENG_NUMBER_9.wav"   text="9"/>
  <Options name="3_10"             value="USENG_NUMBER_10.wav"  text="10"/>
  <Options name="3_11"             value="USENG_NUMBER_11.wav"  text="11"/>
  <Options name="3_12"             value="USENG_NUMBER_12.wav"  text="12"/>
  <Options name="3_13"             value="USENG_NUMBER_1.wav"   text="1"/>
  <Options name="3_14"             value="USENG_NUMBER_2.wav"   text="2"/>
  <Options name="3_15"             value="USENG_NUMBER_3.wav"   text="3"/>
  <Options name="3_16"             value="USENG_NUMBER_4.wav"   text="4"/>

```

APPENDIX

<Options name="3_17"	value="USENG_NUMBER_5.wav"	text="5"/>
<Options name="3_18"	value="USENG_NUMBER_6.wav"	text="6"/>
<Options name="3_19"	value="USENG_NUMBER_7.wav"	text="7"/>
<Options name="3_20"	value="USENG_NUMBER_8.wav"	text="8"/>
<Options name="3_21"	value="USENG_NUMBER_9.wav"	text="9"/>
<Options name="3_22"	value="USENG_NUMBER_10.wav"	text="10"/>
<Options name="3_23"	value="USENG_NUMBER_11.wav"	text="11"/>
<Options name="3_24"	value="USENG_AMPMTIME_NOON.wav"	text="noon"/>
<Options name="3_25"	value="USENG_AMPMTIME_MIDNIGHT.wav"	
text="midnight"/>		
<Options name="5_0"	value="USENG_AMPMTIME_OCLOCK.wav"	
text="o'clock"/>		
<Options name="5_2"	value="USENG_AMPMTIME_O_1.wav"	text="oh-one"/>
<Options name="5_2"	value="USENG_AMPMTIME_O_2.wav"	text="oh-two"/>
...		
<Options name="5_9"	value="USENG_AMPMTIME_O_9.wav"	text="oh-nine"/>
<Options name="5_10"	value="USENG_NUMBER_10.wav"	text="10"/>
<Options name="5_11"	value="USENG_NUMBER_11.wav"	text="11"/>
...		
<Options name="5_58"	value="USENG_NUMBER_58.wav"	text="58"/>
<Options name="5_59"	value="USENG_NUMBER_59.wav"	text="59"/>
<Options name="6_0"	value="USENG_AMPMTIME_AM.wav"	text="AM"/>
<Options name="6_1"	value="USENG_AMPMTIME_AM.wav"	text="AM"/>
<Options name="6_2"	value="USENG_AMPMTIME_AM.wav"	text="AM"/>
...		
<Options name="6_23"	value="USENG_AMPMTIME_PM.wav"	text="PM"/>
<Options name="6_24"	value="NULL.wav"	text=""/>
<Options name="6_25"	value="NULL.wav"	text=""/>
</DOCUMENT>		

APPENDIX

```
<?xml version="1.0" ?>
```

```
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
    value CDATA #REQUIRED>
  <!ELEMENT Options (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
    value CDATA #REQUIRED
    text CDATA #IMPLIED>
]>
```

```
<DOCUMENT>
```

```
<MenuVariables name="1" value="26"/>
<MenuVariables name="2" value="0"/>
<MenuVariables name="3" value="26"/>
<MenuVariables name="4" value="0"/>
<MenuVariables name="5" value="60"/>
<MenuVariables name="6" value="26"/>
<MenuVariables name="7" value="0"/>
```

```
<Options name="1_0" value="SASPAN_AMPMTIME_ALAS.wav" text="a
las"/>
<Options name="1_1" value="SASPAN_AMPMTIME_ALA.wav" text="a la"/>
<Options name="1_2" value="SASPAN_AMPMTIME_ALAS.wav" text="a
las"/>
...
<Options name="1_23" value="SASPAN_AMPMTIME_ALAS.wav" text="a
las"/>
<Options name="1_24" value="SASPAN_AMPMTIME_AL.wav" text="al"/>
<Options name="1_25" value="SASPAN_AMPMTIME_ALA.wav" text="a la"/>
...
<Options name="3_0" value="SASPAN_NUMBER_12.wav" text="doce"/>
<Options name="3_1" value="SASPAN_NUMBER_1.wav" text="una"/>
<Options name="3_2" value="SASPAN_NUMBER_2.wav" text="dos"/>
<Options name="3_3" value="SASPAN_NUMBER_3.wav" text="tres"/>
...
<Options name="3_23" value="SASPAN_NUMBER_11.wav" text="once"/>
```

APPENDIX

<Options name="3_24"	value="SASPAN_AMPMTIME_NOON.wav" text="mediodia"/>
<Options name="3_25"	value="SASPAN_AMPMTIME_MIDNIGHT.wav"
text="medianoche"/>	
<Options name="5_0"	value="SASPAN_AMPMTIME_ENPUNTO.wav" text="en
punto"/>	
<Options name="5_1"	value="SASPAN_AMPMTIME_Y1.wav" text="y un
minuto"/>	
<Options name="5_2"	value="SASPAN_AMPMTIME_Y2.wav" text="y 2 minutos"/>
...	
<Options name="5_9"	value="SASPAN_AMPMTIME_Y13.wav" text="y 13"/>
<Options name="5_10"	value="SASPAN_AMPMTIME_Y14.wav" text="y 14"/>
<Options name="5_11"	value="SASPAN_AMPMTIME_YCUARTO.wav"
text="y cuarto"/>	
...	
<Options name="5_58"	value="SASPAN_AMPMTIME_Y58.wav" text="y 58"/>
<Options name="5_59"	value="SASPAN_AMPMTIME_Y59.wav" text="y 59"/>
<Options name="6_0"	value="SASPAN_AMPMTIME_MADRUGADA.wav"
text="madrugada"/>	
...	
<Options name="6_5"	value="SASPAN_AMPMTIME_MANA.wav"
text="mana"/>	
...	
<Options name="6_12"	value="SASPAN_AMPMTIME_TARDE.wav"
text="tarde"/>	
...	
<Options name="6_23"	value="SASPAN_AMPMTIME_NOCHE.wav"
text="noche"/>	
<Options name="6_24"	value="NULL.wav" text=""/>
<Options name="6_25"	value="NULL.wav" text=""/>
</DOCUMENT>	

APPENDIX

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>

  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
    value CDATA #REQUIRED>
  <!ELEMENT Options (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
    value CDATA #REQUIRED
    text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="proc" value="play_at_ampmtime.proc"/>
<Options name="1" value="7" text="LSCP_AT_AMPMTIME.xml"/>
</DOCUMENT>
```

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>

  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
    value CDATA #REQUIRED>
  <!ELEMENT Options (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
    value CDATA #REQUIRED
    text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="proc" value="play_at_24time.proc"/>
<Options name="1" value="4" text="LSCP_AT_24TIME.xml"/>
</DOCUMENT>
```

APPENDIX

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>

  <!ELEMENT MenuVariables (#PCDATA)*>
  <!--ATTLIST MenuVariables name CDATA #REQUIRED
        value CDATA #REQUIRED-->
  <!--ELEMENT Options (#PCDATA)*>
  <!--ATTLIST Options name CDATA #REQUIRED
        value CDATA #REQUIRED
        text CDATA #IMPLIED-->
]>
<DOCUMENT>
<MenuVariables name="proc" value="choose_and_play_at_time.proc"/>
<Options name="1" value="7" text="LSCP_AT_AMPMTIME.xml"/>
<Options name="2" value="4" text="LSCP_AT_24TIME.xml"/>
<Options name="3" value="7" text="LSCP_AT_BEFORETIME.xml"/>
</DOCUMENT>
```

APPENDIX

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
                        value CDATA #REQUIRED>
  <!ELEMENT Options    (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
                        value CDATA #REQUIRED
                        text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="1"          value="1"/>
<MenuVariables name="2"          value="1"/>
<Options name="1_0"              value="USENG_MSG_RECEIVED.wav"  text="Message
received"/>
<Options name="2_0"              value="GCP_AT_TIME.xml"
text="GCP_AT_TIME.xml"/>

</DOCUMENT>
```

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
                        value CDATA #REQUIRED>
  <!ELEMENT Options    (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
                        value CDATA #REQUIRED
                        text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="1"          value="1"/>
<MenuVariables name="2"          value="1"/>
<Options name="1_0"              value="LSCP_AT_AMPMTIME.xml"
text="GCP_AT_AMPMTIME.xml"/>
<Options name="2_0"              value="JAPAN_MSG_RECEIVED.wav" text="Japanese for
received message"/>
</DOCUMENT>
```

APPENDIX

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
                        value CDATA #REQUIRED>
  <!ELEMENT Options    (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
                        value CDATA #REQUIRED
                        text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="1"          value="1"/>
<MenuVariables name="2"          value="1"/>
<Options name="1_0"              value="USENG_FAX_WILL_SEND.wav" text="Fax will be
sent"/>
<Options name="2_0"              value="LSCP_AT_AMPMTIME.xml"
text="GCP_AT_AMPMTIME.xml"/>
</DOCUMENT>
```

```
<?xml version="1.0" ?>
<!DOCTYPE DOCUMENT [
  <!ELEMENT DOCUMENT (MenuVariables,Options)>
  <!ELEMENT MenuVariables (#PCDATA)*>
  <!ATTLIST MenuVariables name CDATA #REQUIRED
                        value CDATA #REQUIRED>
  <!ELEMENT Options    (#PCDATA)*>
  <!ATTLIST Options name CDATA #REQUIRED
                        value CDATA #REQUIRED
                        text CDATA #IMPLIED>
]>
<DOCUMENT>
<MenuVariables name="1"          value="1"/>
<MenuVariables name="2"          value="1"/>
<Options name="1_0"              value="LSCP_AT_AMPMTIME.xml"
text="GCP_AT_AMPMTIME.xml"/>
<Options name="2_0"              value="JAPAN_FAX_WILL_SEND.wav" text="Japanese for
Fax will be sent"/>
</DOCUMENT>
```